

University of Arkansas
Gender Neutral Restrooms List 5/31/2024

Famis No.	Code	Building Name	Type	Floor	Room	Toilet	Lock	Shower	Change table	ADA compliance	Location
F0003	ADMN	Administration Building	E&G	1	120A	ADA single-toilet	Yes			ADA	Corridor
F0004	ADSB	Administrative Services Building	E&G	1	139	single-toilet with grab bars	Yes				In Parking Office
F0016	ALUM	Janelle Y. Hembree Alumni House	E&G	2	217	ADA single-toilet	Yes		Change table	ADA	Corridor
F0016	ALUM	Janelle Y. Hembree Alumni House	E&G	2	218	ADA single-toilet	Yes		Change table	ADA	Corridor
F0241	ARKA	410 Arkansas	E&G	2	200A	single-toilet with grab bars	Yes				Corridor
F0021	ARKU	Arkansas Union	AUX/E&G	2	204	single-toilet with grab bars	Yes				Corridor
F0021	ARKU	Arkansas Union	AUX/E&G	2	204A	ADA single-toilet	Yes			ADA	Corridor
F0021	ARKU	Arkansas Union	AUX/E&G	2	204B	ADA single-toilet	Yes			ADA	Corridor
F0023	BAND	Lewis E. Epley Jr. Band Hall	E&G	2	207	ADA single-toilet	Yes	ADA Shower		ADA	Corridor
F0444	BGRN	Biology Greenhouse	E&G	1	102	ADA single-toilet	Yes			ADA	Corridor
F0037	BUCH	Buchanan-Droke Hall	E&G	B	005	ADA single-toilet	Yes			ADA	Corridor
F0263	BUSB	Razorback Transit Maintenance Facility	AUX	1	102	single-toilet	Yes				In Transit facility
F0263	BUSB	Razorback Transit Maintenance Facility	AUX	1	103	single-toilet	Yes				In Transit facility
F0076	CCHP	Central Utility Plant - Central Chilled Water Plant	E&G	1	105	single-toilet with grab bars	Yes				Corridor
F0457	CENA	836 Center Street	E&G	1	101C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	1	102C	ADA single-toilet	Yes			ADA	In suite
F0457	CENA	836 Center Street	E&G	2	201C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	2	202C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	2	203C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	2	204C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	3	301C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	3	302C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	3	303C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	3	304C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	3	305C	single-toilet	Yes				In suite
F0457	CENA	836 Center Street	E&G	3	306C	single-toilet	Yes				In suite
F0346	CERM	Ceramics Studio	E&G	1	105	single-toilet with grab bars	Yes				Corridor
F0346	CERM	Ceramics Studio	E&G	1	106	single-toilet with grab bars	Yes				Corridor
F0446	CHPN	Champions Hall	E&G	1	131	ADA single-toilet	Yes	ADA Shower		ADA	Corridor
F0446	CHPN	Champions Hall	E&G	1	132	ADA single-toilet	Yes	ADA Shower		ADA	Corridor
F0074	COGT	Chi Omega Greek Theatre	E&G	1	101	single-toilet	Yes				In building service area
F0487	CORD	Cordia Harrington Center for Excellence	E&G	G	016	ADA single-toilet	Yes			ADA	Corridor
F0484	CUPS	Central Utility Plant - Maintenance Shop	E&G	1	104	ADA single-toilet	Yes			ADA	Corridor
F0168	DAVH	Davis Hall	E&G	1	102	ADA single-toilet	Yes			ADA	Corridor
F0168	DAVH	Davis Hall	E&G	1	103	ADA single-toilet	Yes			ADA	Corridor
F0168	DAVH	Davis Hall	E&G	2	202	ADA single-toilet	Yes			ADA	Corridor
F0168	DAVH	Davis Hall	E&G	2	203	ADA single-toilet	Yes			ADA	Corridor
F0168	DAVH	Davis Hall	E&G	3	302	ADA single-toilet	Yes			ADA	Corridor
F0168	DAVH	Davis Hall	E&G	3	303	ADA single-toilet	Yes			ADA	Corridor
F0168	DAVH	Davis Hall	E&G	B	B03	ADA single-toilet	Yes	ADA Shower		ADA	Corridor
F0494	DOUG	965 Douglas	E&G	1	103	single-toilet	Yes				Corridor
F0375	DUNS	13 North Duncan Avenue - South	E&G	1	1E	single-toilet	Yes				In suite
F0375	DUNS	13 North Duncan Avenue - South	E&G	1	2E	single-toilet	Yes				In suite
F0375	DUNS	13 North Duncan Avenue - South	E&G	1	3E	single-toilet	Yes				In suite
F0375	DUNS	13 North Duncan Avenue - South	E&G	2	4E	single-toilet	Yes				In suite
F0375	DUNS	13 North Duncan Avenue - South	E&G	2	5E	single-toilet	Yes				In suite
F0375	DUNS	13 North Duncan Avenue - South	E&G	2	6E	single-toilet	Yes				In suite
F0375	DUNS	13 North Duncan Avenue - South	E&G	3	7E	single-toilet	Yes				In suite
F0375	DUNS	13 North Duncan Avenue - South	E&G	3	8E	single-toilet	Yes				In suite
F0375	DUNS	13 North Duncan Avenue - South	E&G	3	9E	single-toilet	Yes				In suite
F0097	EAWH	Surplus Warehouse	E&G	1	101	ADA single-toilet	Yes			ADA	Corridor
F0438	ECEN	One East Center	E&G	1	115	ADA single-toilet	Yes			ADA	Corridor
F0438	ECEN	One East Center	E&G	B	36	ADA single-toilet	Yes			ADA	Corridor
F0424	ECHP	Epley Center for Health Professions	E&G	1	130	ADA single-toilet	Yes			ADA	In Speech and Hearing Clinic
F0424	ECHP	Epley Center for Health Professions	E&G	1	143	ADA single-toilet	Yes			ADA	In Speech and Hearing Clinic
F0424	ECHP	Epley Center for Health Professions	E&G	1	145	ADA single-toilet	Yes			ADA	In Speech and Hearing Clinic
F0424	ECHP	Epley Center for Health Professions	E&G	1	166	ADA adult toilet & kid toilet	Yes		Change table	ADA	In Speech and Hearing Clinic
F0191	FAMA	Facilities Management	E&G	1	A102	ADA single-toilet	Yes			ADA	Corridor

University of Arkansas
Gender Neutral Restrooms List 5/31/2024

Famis No.	Code	Building Name	Type	Floor	Room	Toilet	Lock	Shower	Change table	ADA compliance	Location
F0453	FAYJ	Fay Jones House	E&G	1	103	single-toilet	Yes	shower			In house
F0453	FAYJ	Fay Jones House	E&G	B	006	single-toilet	Yes	shower			In house
F0113	FNAR	Fine Arts Center	E&G	1	122	single-toilet	Yes				In Theatre Scene Shop
F0268	FPAC	Faulkner Performing Arts Center	E&G	2	206	ADA single-toilet	Yes			ADA	Corridor
F0268	FPAC	Faulkner Performing Arts Center	E&G	2	207	ADA single-toilet	Yes			ADA	Corridor
F0035	FSBC	Brough Commons	AUX	2	201A	single-toilet with grab bars	Yes				Food court
F0035	FSBC	Brough Commons	AUX	2	201B	single-toilet with grab bars	Yes				Food court
F0379	FWLR	Wallace W. and Jama M. Fowler House (chancellor's residence)	E&G	1	103	single-toilet	Yes				In house
F0379	FWLR	Wallace W. and Jama M. Fowler House (chancellor's residence)	E&G	1	125	single-toilet	Yes				In house
F0379	FWLR	Wallace W. and Jama M. Fowler House (chancellor's residence)	E&G	1	131	single-toilet	Yes				In house
F0379	FWLR	Wallace W. and Jama M. Fowler House (chancellor's residence)	E&G	1	137	single-toilet	Yes				In house
F0379	FWLR	Wallace W. and Jama M. Fowler House (chancellor's residence)	E&G	2	204	single-toilet	Yes				In house
F0379	FWLR	Wallace W. and Jama M. Fowler House (chancellor's residence)	E&G	2	205	single-toilet	Yes				In house
F0379	FWLR	Wallace W. and Jama M. Fowler House (chancellor's residence)	E&G	2	214	single-toilet	Yes	shower			In house
F0379	FWLR	Wallace W. and Jama M. Fowler House (chancellor's residence)	E&G	2	218	single-toilet	Yes	shower			In house
F0379	FWLR	Wallace W. and Jama M. Fowler House (chancellor's residence)	E&G	2	224	single-toilet	Yes	shower			In house
F0411	GACS	Garland Ave Shop	E&G	1	Suite 108-108G	ADA single-toilet	Yes			ADA	In suite 108
F0411	GACS	Garland Ave Shop	E&G	1	Suite 108-108H	ADA single-toilet	Yes			ADA	In suite 108
F0411	GACS	Garland Ave Shop	E&G	1	Suite 113-107	ADA single-toilet	Yes			ADA	In suite 113 Wellness Center
F0411	GACS	Garland Ave Shop	E&G	1	Suite 113-108	single-toilet	Yes				In suite 113 Wellness Center
F0411	GACS	Garland Ave Shop	E&G	1	Suite 115-106	ADA single-toilet	Yes			ADA	In suite 115 Veterans Resource Center
F0411	GACS	Garland Ave Shop	E&G	1	Suite 117-117F	ADA single-toilet	Yes			ADA	In suite 117 IDEAL Institute
F0411	GACS	Garland Ave Shop	E&G	1	Suite 117-117G	ADA single-toilet	Yes			ADA	In suite 117 IDEAL Institute
F0384	GAW1	Government Ave Warehouse 1	E&G	1	102	single-toilet with grab bars	Yes				Corridor
F0384	GAW1	Government Ave Warehouse 1	E&G	1	103	single-toilet with grab bars	Yes				Corridor
F0186	GEAR	Gearhart Hall	E&G	1	123	ADA single-toilet	Yes			ADA	Corridor
F0186	GEAR	Gearhart Hall	E&G	1	137	ADA single-toilet	Yes			ADA	Corridor
F0186	GEAR	Gearhart Hall	E&G	2	204	ADA single-toilet	Yes			ADA	Corridor
F0186	GEAR	Gearhart Hall	E&G	2	205	ADA single-toilet	Yes			ADA	Corridor
F0186	GEAR	Gearhart Hall	E&G	2	239	ADA single-toilet	Yes			ADA	Corridor
F0186	GEAR	Gearhart Hall	E&G	2	240	ADA single-toilet	Yes			ADA	Corridor
F0122	GIBX	Gibson Annex	E&G	1	12	single-toilet with grab bars	Yes				Corridor
F0122	GIBX	Gibson Annex	E&G	1	14	ADA single-toilet	Yes			ADA	Corridor
F0124	GLAD	Gladson-Ripley Hall	E&G	1	118B	single-toilet	Yes				In suite
F0124	GLAD	Gladson-Ripley Hall	E&G	1	167B	single-toilet	Yes				In suite
F0080	GLBL	Global Campus	E&G	2	215	ADA single-toilet	Yes		Change table	ADA	Corridor
F0080	GLBL	Global Campus	E&G	3	314	ADA single-toilet	Yes		Change table	ADA	Corridor
F0080	GLBL	Global Campus	E&G	4	426	ADA single-toilet	Yes		Change table	ADA	Corridor
F0080	GLBL	Global Campus	E&G	5	524	ADA single-toilet	Yes		Change table	ADA	Corridor
F0125	GRAD	Graduate Education Building	E&G	1	124	ADA single-toilet	Yes			ADA	Corridor
F0442	GRAS	Graham South	E&G	1	B108	single-toilet with grab bars	Yes				Corridor
F0128	GRND	Grounds Shop	E&G	1	103	single-toilet	Yes	shower			Corridor
F0128	GRND	Grounds Shop	E&G	1	101A	single-toilet	Yes				Corridor
F0436	GRNE	Graham Northeast	AUX	1	B106	single-toilet	Yes	shower			Corridor
F0435	GRNW	Graham Northwest	AUX	1	A108	single-toilet	Yes				Corridor
F0399	HAPI	Harmon Avenue Garage - front building	AUX	6	605	single-toilet with grab bars	Yes				In McMillon Innovation Studio
F0399	HAPI	Harmon Avenue Garage - front building	AUX	6	611	single-toilet with grab bars	Yes				In Parking Office
F0399	HAPI	Harmon Avenue Garage - front building	AUX	7	706	single-toilet with grab bars	Yes				Corridor
F0399	HAPI	Harmon Avenue Garage - front building	AUX	7	715	single-toilet with grab bars	Yes				Corridor
F0064	HEAT	Central Utility Plant - Heating Plant	E&G	1	113	single-toilet with grab bars	Yes				Corridor
F0342	HLTH	Pat Walker Health Center	E&G	1	1094	ADA single-toilet	Yes			ADA	Corridor
F0342	HLTH	Pat Walker Health Center	E&G	2	2075	ADA single-toilet	Yes			ADA	Corridor
F0140	HOEC	Human Environmental Sciences Building	E&G	1	126A	single-toilet	Yes				Corridor
F0140	HOEC	Human Environmental Sciences Building	E&G	1	126B	single-toilet	Yes				Corridor
F0140	HOEC	Human Environmental Sciences Building	E&G	1	126C	ADA single-toilet	Yes			ADA	Corridor
F0140	HOEC	Human Environmental Sciences Building	E&G	2	211	ADA single-toilet	Yes			ADA	Corridor
F0140	HOEC	Human Environmental Sciences Building	E&G	2	G27	ADA single-toilet	Yes			ADA	Corridor
F0350	JBHT	JB Hunt Transport Services, Inc. Center for Academic Excellence	E&G	4	433	ADA single-toilet	Yes	ADA shower		ADA	Corridor

University of Arkansas
Gender Neutral Restrooms List 5/31/2024

Famis No.	Code	Building Name	Type	Floor	Room	Toilet	Lock	Shower	Change table	ADA compliance	Location
F0350	JBHT	JB Hunt Transport Services, Inc. Center for Academic Excellence	E&G	5	534	ADA single-toilet	Yes	ADA shower		ADA	Corridor
F0419	JTCD	Jean Tyson Child Development Center	E&G	1	117	ADA single-toilet	Yes	ADA shower		ADA	Corridor
F0419	JTCD	Jean Tyson Child Development Center	E&G	1	134	ADA single-toilet	Yes		Change table	ADA	Corridor
F0166	KIMP	Kimpel Hall	E&G	1	157	ADA single-toilet	Yes			ADA	Corridor
F0166	KIMP	Kimpel Hall	E&G	1	158	ADA single-toilet	Yes			ADA	Corridor
F0396	KUAF	Lynn and Joel Carver Center for Public Radio	E&G	G	G10	ADA single-toilet	Yes	ADA shower		ADA	Corridor
F0380	LSAD	Leflar Law Center - Norma Lea Beasley Entrance Hall, William H. Enfield Hall, etc.	E&G	1	175	ADA single-toilet	Yes			ADA	In an office suite
F0380	LSAD	Leflar Law Center - Norma Lea Beasley Entrance Hall, William H. Enfield Hall, etc.	E&G	1	176	ADA single-toilet	Yes			ADA	In an office suite
F0461	LIND	532 Lindell	E&G	1	101	single-toilet	Yes				Corridor
F0461	LIND	532 Lindell	E&G	1	104	single-toilet	Yes	shower			Corridor
F0461	LIND	532 Lindell	E&G	1	101B	single-toilet	Yes				Corridor
F0461	LIND	532 Lindell	E&G	2	202	single-toilet	Yes				Corridor
F0461	LIND	532 Lindell	E&G	2	204	single-toilet	Yes				Corridor
F0459	LINX	Library Annex	E&G	1	104	ADA single-toilet	Yes			ADA	Corridor
F0353	LISA	Library Storage Annex	E&G	1	105	single-toilet with grab bars	Yes				Corridor
F0178	MCHS	McIlroy House (University Press)	E&G	2	212	single-toilet	Yes				Corridor
F0178	MCHS	McIlroy House (University Press)	E&G	3	301A	single-toilet	Yes				Corridor
F0180	MEMH	Memorial Hall	E&G	1	1110	single-toilet	Yes				In Psychological Clinic
F0404	MLKA	1564 West Martin Luther King Jr. Boulevard	E&G	1	102	single-toilet with grab bars	Yes				Corridor
F0451	MLKB	1542 West Martin Luther King Jr. Boulevard	E&G	1	107	single-toilet with grab bars	Yes				Corridor
F0451	MLKB	1542 West Martin Luther King Jr. Boulevard	E&G	1	108	single-toilet with grab bars	Yes				Corridor
F0181	MULN	David W. Mullins Library	E&G	3	326A	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	3	326B	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	3	326C	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	3	334A	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	3	334B	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	3	334C	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	4	446A	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	4	446B	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	4	446C	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	4	454A	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	4	454B	ADA single-toilet	Yes			ADA	Corridor
F0181	MULN	David W. Mullins Library	E&G	4	454C	ADA single-toilet	Yes			ADA	Corridor
F0407	NANO	Nanoscale Material Science and Engineering Building	E&G	1	141	ADA single-toilet	Yes	ADA shower		ADA	Corridor
F0407	NANO	Nanoscale Material Science and Engineering Building	E&G	1	142	ADA single-toilet	Yes	ADA shower		ADA	Corridor
F0370	NCRE	National Center for Reliable Electric Power Transmission	E&G	1	103	ADA single-toilet	Yes			ADA	Corridor
F0370	NCRE	National Center for Reliable Electric Power Transmission	E&G	1	114	single-toilet with grab bars	Yes				Corridor
F0370	NCRE	National Center for Reliable Electric Power Transmission	E&G	2	205	single-toilet	Yes				Corridor
F0374	NODU	13 North Duncan Avenue - North	E&G	1	10E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	1	11E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	1	12E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	1	13E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	1	14E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	2	15E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	2	16E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	2	17E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	2	18E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	2	19E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	3	20E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	3	21E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	3	22E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	3	23E	single-toilet	Yes				In suite
F0374	NODU	13 North Duncan Avenue - North	E&G	3	24E	single-toilet	Yes				In suite
F0477	OTHS	Occupational Therapy House	E&G	1	106	single-toilet with grab bars	Yes	shower			Corridor
F0477	OTHS	Occupational Therapy House	E&G	2	209	single-toilet	Yes	shower			Corridor
F0477	OTHS	Occupational Therapy House	E&G	2	210	single-toilet with grab bars	Yes				Corridor

University of Arkansas
Gender Neutral Restrooms List 5/31/2024

Famis No.	Code	Building Name	Type	Floor	Room	Toilet	Lock	Shower	Change table	ADA compliance	Location
F0192	PHYS	Physics Building	E&G	2	214	ADA single-toilet	Yes			ADA	Corridor
F0190	PPRC	Recycling Center	E&G	1	103	single-toilet	Yes	shower			Corridor
F0210	PRES	Printing Services	E&G	1	113	ADA single-toilet	Yes			ADA	In Printmaking Studio
F0210	PRES	Printing Services	E&G	1	116	ADA single-toilet	Yes			ADA	In Printmaking Studio
F0210	PRES	Printing Services	E&G	1	148	ADA single-toilet	Yes			ADA	Corridor
F0210	PRES	Printing Services	E&G	1	149	ADA single-toilet	Yes			ADA	Corridor
F0223	SCEN	Science Engineering Building	E&G	1	117	ADA single-toilet	Yes			ADA	Corridor
F0223	SCEN	Science Engineering Building	E&G	2	216	ADA single-toilet	Yes			ADA	Corridor
F0223	SCEN	Science Engineering Building	E&G	3	345	ADA single-toilet	Yes			ADA	Corridor
F0223	SCEN	Science Engineering Building	E&G	4	412	ADA single-toilet	Yes			ADA	Corridor
F0223	SCEN	Science Engineering Building	E&G	5	517	ADA single-toilet	Yes			ADA	Corridor
F0223	SCEN	Science Engineering Building	E&G	6	617	ADA single-toilet	Yes			ADA	Corridor
F0456	SCUL	Sculpture Studio	E&G	1	109	ADA single-toilet and urinal	Yes			ADA	Corridor
F0456	SCUL	Sculpture Studio	E&G	2	202	ADA single-toilet	Yes	shower		ADA	Corridor
F0469	SOAX	School of Art Annex	E&G	1	105	ADA single-toilet	Yes			ADA	Corridor
F0469	SOAX	School of Art Annex	E&G	1	128	single-toilet	Yes				Corridor
F0469	SOAX	School of Art Annex	E&G	1	129	single-toilet	Yes				Corridor
F0469	SOAX	School of Art Annex	E&G	1	131	ADA single-toilet	Yes			ADA	Corridor
F0141	STAB	Study Abroad House	E&G	1	101	single-toilet	Yes				Corridor
F0141	STAB	Study Abroad House	E&G	2	204	single-toilet	Yes	shower			Corridor
F0189	STOS	Edward Durrell Stone House South	E&G	1	F31	ADA single-toilet	Yes			ADA	Corridor
F0344	SUST	Sustainability House	E&G	1	103	single-toilet	Yes	shower			Corridor
F0344	SUST	Sustainability House	E&G	B	003	single-toilet	Yes				Corridor
F0345	SUZM	Suzuki Music School of Arkansas	E&G	1	105	single-toilet	Yes	shower			Corridor
F0345	SUZM	Suzuki Music School of Arkansas	E&G	1	112	single-toilet with grab bars	Yes	shower			Corridor
F0345	SUZM	Suzuki Music School of Arkansas	E&G	2	206	single-toilet with grab bars	Yes				Corridor
F0345	SUZM	Suzuki Music School of Arkansas	E&G	2	211	single-toilet with grab bars	Yes				Corridor
F0402	TENN	UREC Tennis Center	AUX	1	102	ADA single-toilet	Yes			ADA	Corridor
F0213	TEST	Office of Testing Services	E&G	1	106	single-toilet with grab bars	Yes				Corridor
F0267	UNHS	Unity House	E&G	1	103	single-toilet with grab bars	Yes				Corridor
F0267	UNHS	Unity House	E&G	3	304	ADA single-toilet	Yes			ADA	Corridor
F0267	UNHS	Unity House	E&G	G	G08	ADA single-toilet	Yes			ADA	Corridor
F0426	UPTW	Uptown Campus East	E&G	2	279B	single-toilet	Yes	shower			In suite
F0425	UPTW	Uptown Campus West	E&G	1	102	single-toilet	Yes	shower			Corridor
F0425	UPTW	Uptown Campus West	E&G	2	239A	single-toilet	Yes				In suite
F0351	URST	University Relations Studio	E&G	1	105	single-toilet with grab bars	Yes				Corridor
F0452	UTCH	UAteach	E&G	1	110	single-toilet with grab bars	Yes				Corridor
F0452	UTCH	UAteach	E&G	1	114	single-toilet with grab bars	Yes				Corridor
F0279	WAAX	West Avenue Annex	E&G	1	16	ADA single-toilet	Yes			ADA	Corridor
F0279	WAAX	West Avenue Annex	E&G	1	17	ADA single-toilet	Yes			ADA	Corridor
F0041	WCOB	Business Building	E&G	1	110	ADA single-toilet	Yes			ADA	Corridor
F0041	WCOB	Business Building	E&G	1	111	ADA single-toilet	Yes			ADA	Corridor
F0041	WCOB	Business Building	E&G	2	248	ADA single-toilet	Yes			ADA	Corridor
F0041	WCOB	Business Building	E&G	2	249	ADA single-toilet	Yes			ADA	Corridor
F0041	WCOB	Business Building	E&G	3	344	ADA single-toilet	Yes			ADA	Corridor
F0041	WCOB	Business Building	E&G	3	345	ADA single-toilet	Yes			ADA	Corridor
F0041	WCOB	Business Building	E&G	4	476	ADA single-toilet	Yes			ADA	Corridor
F0041	WCOB	Business Building	E&G	4	477	ADA single-toilet	Yes			ADA	Corridor
F0488	SDCR	Studio and Design Center	E&G	1	137	ADA single-toilet	Yes	shower		ADA	Corridor
F0488	SDCR	Studio and Design Center	E&G	2	237D	ADA single-toilet	Yes			ADA	Corridor
F0488	SDCR	Studio and Design Center	E&G	3	339D	ADA single-toilet	Yes			ADA	Corridor
F0488	SDCR	Studio and Design Center	E&G	4	428	ADA single-toilet	Yes			ADA	Corridor

Note 1: All gender neutral restrooms have a lock installed on the door for privacy.

Note 2: Some gender neutral restrooms might be available to building occupants or certain groups only. For example, a clinic gender neutral restroom is only available for clinic staff and patient.

Note 3: This list mainly focuses on gender neutral restrooms located in Educational and General Use Buildings on our campus.